

07-03-00

A

PTO/SB/05 (4/98)

Approved for use through 09/30/2000. OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Please type a plus sign (+) inside this box



# UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No. 042390.P8762  
 First Inventor or Application Identifier Tinku Acharya  
 Title METHOD OF VIDEO CODING THE MOVEMENT OF A HUMAN FACE  
 Express Mail Label No. EL034434567US

## APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents

## ADDRESS TO:

Assistant Commissioner for Patents  
 Box Patent Application  
 Washington, DC 20231

1. ☒ Fee Transmittal Form  
 (Submit an original, and a duplicate for fee processing)
2. ☒ Specification [Total Pages 23]  
 (preferred arrangement set forth below)
- Descriptive title of the Invention
  - Cross References to Related Applications
  - Statement Regarding Fed sponsored R & D
  - Reference to Microfiche Appendix
  - Background of the Invention
  - Brief Summary of the Invention
  - Brief Description of the Drawings (if filed)
  - Detailed Description
  - Claim(s)
  - Abstract of the Disclosure
3. ☒ Drawing(s) (35 U.S.C. 113) [Total Sheets 2]
4. Oath or Declaration [Total Pages 6]
- a. ☐ Newly executed (original copy)
  - b. ☐ Copy from a prior application (37 C.F.R. § 1.63(d))  
 (for continuation/divisional with Box 16 completed)
  - i. ☐ DELETION OF INVENTOR(S)  
 Signed statement attached deleting  
 inventor(s) named in the prior application,  
 see 37 CFR §§ 1.63(d)(2) and 1.33(b).

5. ☐ Microfiche Computer Program (Appendix)
6. Nucleotide and/or Amino Acid Sequence Submission  
 (if applicable, all necessary)
- a. ☐ Computer Readable Copy
  - b. ☐ Paper Copy (identical to computer copy)
  - c. ☐ Statement verifying identity of above copies

## ACCOMPANYING APPLICATION PARTS

7. ☐ Assignment Papers (cover sheet & document(s))
8. ☐ 37 C.F.R. § 3.73(b) Statement ☐ Power of Attorney  
 (when there is an assignee)
9. ☐ English Translation Document (if applicable)
10. ☐ Information Disclosure Statement (IDS)/PTO - 1449 ☐ Copies of IDS Citations
11. ☐ Preliminary Amendment
12. ☒ Return Receipt Postcard (MPEP 503)  
 (Should be specifically itemized)
13. ☐ \*Small Entity Statement(s) ☐ Statement filed in prior application,  
 Status still proper and desired
14. ☐ Certified Copy of Priority Document(s)  
 (if foreign priority is claimed)
15. ☐ Other: \_\_\_\_\_

\*NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO PAY  
 SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS  
 REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR  
 APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).

## 16. If a CONTINUING APPLICATION, check appropriate box, and supply the requisite information below and in a preliminary amendment:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No: \_\_\_\_\_

Prior application Information: Examiner \_\_\_\_\_

Group/Art Unit: \_\_\_\_\_

For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.

## 17. CORRESPONDENCE ADDRESS

☐ Customer Number of Bar Code Label

(Insert Customer No. or Attach bar code label here)

or ☒ Correspondence address below

Name	BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP				
Address	12400 Wilshire Boulevard, Seventh Floor				
City	Los Angeles	State	California	Zip Code	90025
Country	U.S.A.	Telephone	(503) 684-6200	Fax	(503) 684-3245

Name (Print/Type) Paul A. Mendonsa, Reg. No. 42,879

Signature

Paul A. Mendonsa

Date 06/30/2000

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

APPLICATION FOR UNITED STATES LETTERS PATENT

FOR

**METHOD OF VIDEO CODING THE MOVEMENT**

**OF A HUMAN FACE FROM A SEQUENCE OF IMAGES**

Inventors:

Tinku Acharya

Somnath Sengupta

Rama A. Suryanarayana

Prepared by: Howard A. Skaist

Senior Patent Attorney

EL 03443456749

# METHOD OF VIDEO CODING THE MOVEMENT OF A HUMAN FACE FROM A SEQUENCE OF IMAGES

## RELATED APPLICATIONS

This patent application is related to concurrently filed US Patent Application Serial No. \_\_\_\_\_, titled "Model-Based Video Image Coding," by Acharya et al., filed on \_\_\_\_\_, (attorney docket 042390.P8764), and concurrently filed US Patent Application Serial No. \_\_\_\_\_, titled "Method of Video Coding Shoulder Movement from a Sequence of Images," by Acharya et al., filed on \_\_\_\_\_, (attorney docket 042390.P8763), both assigned in part to the assignee of the present invention and herein incorporated by reference.

## BACKGROUND

The present disclosure is related to video coding and, more particularly, to coding the movement of a head from a sequence of images.

As is well-known, motion estimation is a common or frequently encountered problem in digital video processing. A number of approaches are known and have been employed. One approach, for example, identifies the features located on the object and tracks the features from frame to frame, as described for example in "Two-View Facial Movement Estimation" by H. Li and R. Forchheimer, IEEE Transactions on Circuits and Systems for Video Technology, Vol. 4, No. 3, pp. 276-287, June, 1994. In this approach, the features are tracked from the two-dimensional correspondence between successive frames. From this correspondence, the three-dimensional motion parameters are estimated. Another approach estimates the motion parameters from an optical flow and affine motion model. See, for example, "Analysis and Synthesis of Facial Image Sequences in Model-Based Coding," by C.S. Choi, K. Aizawa, H. Harashima and T. Takeve, IEEE Transactions on Circuits and Systems for Video Technology, Vol. 4, No. 3, pp. 257-275, June, 1994. This optical flow approach estimates the motion parameters without establishing a two-dimensional correspondence. This latter approach, therefore, tends to be more robust and accurate, but imposes a computational load that is heavier typically. A need, therefore, exists for an approach that is more accurate than the two-dimensional correspondence approach, but that is computationally less burdensome than the optical flow and affine motion model.

## BRIEF DESCRIPTION OF THE DRAWINGS

The subject matter regarded as the invention is particularly pointed out and distinctly claimed in the concluding portion of the specification. The invention, however, both as to organization and method of operation, together with objects, features, and advantages thereof, may best be understood by reference to the following detailed description when read with the accompanying drawings in which:

FIG. 1 is a schematic diagram illustrating a three-dimensional (3D) model applied to a human face with planar triangular patches, such as may be employed in an embodiment in accordance with the present invention;

FIG. 2 is a flowchart of an embodiment in accordance with the present invention.

## DETAILED DESCRIPTION

In the following detailed description, numerous specific details are set forth in order to provide a thorough understanding of the invention. However, it will be understood by those skilled in the art that the present invention may be practiced without these specific details. In other instances, well-known methods, procedures, components and circuits have not been described in detail so as not to obscure the present invention.

As previously described, motion estimation is a common problem in video image processing. However, state of the art techniques such as previously described, for example, suffer from some disadvantages. For example, the previously described technique, referred to here as the “two-dimensional correspondence approach,” although computationally less burdensome, seems to be prone to errors due to mismatches of the two-dimensional correspondences. Another approach, referred to here as the “optical flow and affine motion model,” such as described in “3-D Motion Estimation and Wireframe Adaptation Including Photometric Effects for Model-Based Coding of Facial Image Sequences”, by G.Bozdagi,

A. Murat Tekalp and L. Onural, IEEE Transactions on CSVT, Vol.4, No.3, pp.246-256, June 1994, although more accurate and robust, is typically computationally burdensome. Therefore, a need exists for an approach that is more accurate than the former, but less computationally burdensome than the latter.

In this particular context, the motion that is being tracked or coded is the movement of a head or face in a sequence of images. Having the ability to track this motion and coding it may be desirable for a number of reasons. As just a few examples, this may be desirable in video conferencing, where a camera at one end may transmits the appropriate motion or movement of face to a display at the other end. However, the communications channel by which this video conferencing may take place sometimes has a relatively low or limited bandwidth, so that only a limited amount of signal information may be communicated in real-time.

An embodiment of a method of video coding a movement of human head or face from a sequence of images includes the following. A limited number of feature points are selected from an image of the face whose movement is to be video coded. Using at least two images or frames from the sequence, changes in the intensity of selected feature points, such as spatio-

temporal rates of change, are estimated. Using the feature points and the estimated rates, translation and rotation parameters of the face are then estimated. The estimated translation and rotation parameters are coded and/or transmitted across the communications channel. It is noted, of course that instead of communicating the coded signal information, it may, alternatively, be stored and read from memory for later use, or used in some other way other than by transmitting it.

Although the invention is not limited in scope in this respect, in this particular embodiment, the face is coded from at least one of the images or frames by employing a three-dimensional (3D) based coding technique to produce what shall be referred to here as a 3D model. Movement of the face from at least two, typically sequential, images of the sequence is estimated using this 3D model of the face or head. In particular, as shall be described in more detail hereinafter, the movement of the face is estimated by treating the 3D model of the head as a rigid body in the sequence of images.

In this embodiment, although the invention is not limited in scope in this respect, the 3D model applied comprises planar triangular patches. This illustrated, for example, in FIG. 1. As



FIG. 1 illustrates, these triangular patches, in this particular embodiment in accordance with the invention, are divided into two classes, one class in which local motion is more significant, such as, for example, the triangular patches covering eyes, eyebrows, or mouth, denoted here  $\bullet_l$ , and one class in which global motion is more significant, denoted here by the  $\bullet_g$ . FIG. 1 illustrates the two classes of triangles, the shaded of triangles belonging to  $\bullet_l$  and unshaded triangles belonging to  $\bullet_g$ .

In this embodiment, a limited number of feature points are selected from an image of the head. In this embodiment, enough feature points are selected from different triangular patches to obtain the desired amount of accuracy or robustness without being computationally burdensome. Furthermore, a weighting factor is assigned to each feature point, depending upon the class of triangular patch to which it belongs. The weighting factor assigned to a feature point selected from the  $i^{\text{th}}$  triangular patch is given by the following relationship.

$$W_{pi} = \begin{cases} W_g, & \text{for all } i \in \bullet_g \\ W_l, & \text{for all } i \in \bullet_l \end{cases}$$

where  $W_g$  is greater than  $W_l$ .

The weighting factors are used in the Least Mean Square estimation of the global motion parameters in this particular embodiment, as described in more detail later, and there, the facial regions contributing more to the global motion have more weighting factors than the ones predominantly contributing to local motion; however, the invention is not restricted in scope to this embodiment. For example, other estimation approaches other than Least Mean Square may be employed and other approaches to employing weighting may be employed, or, alternatively, weighting may not necessarily be employed in alternative embodiments. For this embodiment, the range of the weighting factors were determined from experimentation, although, again, the invention is not restricted in scope to this particular range of weights. Here, nonetheless,  $W_g$  varies in the range of approximately 0.6 to approximately 0.9 and  $W_l$  varies in the range of approximately 0.3 to approximately 0.1.

Once feature points are selected, the rate of change of intensity of the selected feature points is estimated from the sequence of images. It is noted that it takes at least two images to estimate a rate of change; however, in this embodiment a rate of change is calculated for each pair of immediately sequential images in the sequence . It is also noted that a distinguishing

feature of this approach is the selection of a limited number of feature points, thereby reducing the computational burden of this approach.

The relationship between rate of change in intensity at the selected feature points and estimating the translation and rotation of the face is as follows. The gradient between two consecutive or immediately sequential frames is described as follows.

$$I_{xk} V_{xk} + I_{yk} V_{yk} + I_{tk} = 0 \dots\dots\dots(1)$$

where  $I_{xk}$ ,  $I_{yk}$ , and  $I_{tk}$  are the rates of change at a selected pixel between the two frames  $k$  and  $(k+1)$  in the  $x$ -,  $y$ - and the temporal directions respectively and  $V_{xk}$ ,  $V_{yk}$  are optical flow fields in the  $x$  and  $y$  directions, respectively. The  $I_{xk}$  and  $I_{yk}$  are determined by the intensity gradients of the neighboring pixels in the same frame and  $I_{tk}$  is measured from the intensity gradient at substantially the same spatial position between consecutive frames. The equation is based on an assumption of brightness constancy for moving objects in the successive frames.

Likewise, the formula for small motion of a rigid body is given by the following equation.

$$V = R P + T \dots\dots\dots(2)$$

where  $P$  is a three-dimensional position vector, vector  $V$  represents the velocity of a point on the rigid body, matrix  $R$  represents the angular velocity, and vector  $T$  represents the translation of the rigid body.  $R$ , the angular velocity, is given by the following 3-by-3 matrix

$$R = \begin{bmatrix} r_{11} & r_{12} & r_{13} \\ r_{21} & r_{22} & r_{23} \\ r_{31} & r_{32} & r_{33} \end{bmatrix}$$

where  $r_{11} = c_\alpha c_\beta - 1$ ,  $r_{12} = c_\alpha s_\beta s_\gamma - s_\alpha c_\gamma$ ,  $r_{13} = c_\alpha s_\beta c_\gamma - c_\alpha s_\gamma$ ,  $r_{21} = s_\alpha s_\beta$ ,

$r_{22} = s_\alpha s_\beta s_\gamma - c_\alpha c_\gamma - 1$ ,  $r_{23} = s_\alpha s_\beta c_\gamma - c_\alpha s_\gamma$ ,  $r_{31} = -s_\beta$ ,  $r_{32} = c_\beta s_\gamma$ ,  $r_{33} = c_\beta c_\gamma - 1$  and  $\alpha$ ,  $\beta$ ,

and  $\gamma$  are rotations about x, y, and z axes, respectively, and c and s denote the cosine and the sine of the angles.

Under the assumption of orthographic projection of the human face, for this particular embodiment,  $V_{xk}$  and  $V_{yk}$  are considered to be the optical flow fields with the z-directional component assumed to be zero. The following linearized estimation equation may, therefore, be derived from equation (2) above by equating the x- and the y-directional components of the velocities and then using these relations in equation (1) to evaluate  $I_{TK}$  as

$$H_K = F_K A$$

where  $H_K$  is  $-I_{TK}$ ,  $A$  is  $[r_{11} \ r_{12} \ r_{13} \ r_{21} \ r_{22} \ r_{23} \ T_X \ T_Y]$ , and  $F_K$  is

$$[x_k I_{xk} \ y_k I_{yk} \ z_k I_{zk} \ x_k I_{yk} \ y_k I_{yk} \ z_k I_{yk} \ I_{xk} \ I_{yk}]$$

The global estimation parameters, here, the translation and rotation signal information, may be obtained by solving the previous equation using a Least Mean Square approach, although, of course, the invention is not limited in scope in this respect, and other approaches, such as least absolute value, may be employed. This is done for each feature point and then the values for a rotation and translation that give the least overall mean square error are employed, again, for this particular embodiment.

FIG. 2 is a flowchart illustrating an embodiment 200 of a method of video coding the movement of a human face from a sequence of images in accordance with the invention, although, of course, this is just one example of an embodiment, and many others are possible within the scope of the present invention. At block 210, the face or head from a particular or selected image is approximated using triangular patches, such as illustrated, for example, in FIG. 1. At block, 220, a limited number of feature points on the face are selected, in this

particular embodiment, one feature point from each triangular patch, although, of course, the invention is not limited in scope in this respect. At block 230, for each pair of successive images or frames in the sequence of images, spatio-temporal rates of change in intensity at the selected feature points are estimated. At block 240, estimates of translation and rotation for the face are made using the feature points and the estimated spatio-temporal rates of change for each pair of successive images in this particular embodiment. At block 250, these estimates are then coded and transmitted across a transmission medium or communications channel so that at the far end, the estimates may be employed to reproduce or represent movement of a representation of the face.

It will, of course, be understood that, although particular embodiments have just been described, the invention is not limited in scope to a particular embodiment or implementation. For example, one embodiment may be in hardware, whereas another embodiment may be in software. Likewise, an embodiment may be in firmware, or any combination of hardware, software, or firmware, for example. Likewise, although the invention is not limited in scope in this respect, one embodiment may comprise an article, such as a storage medium. Such a storage medium, such as, for example, a CD-ROM, or a disk, may have stored thereon

instructions, which when executed by a system, such as a host computer or computing system or platform, or an imaging system, may result in a method of video coding the movement of a human face from a sequence of images in accordance with the invention, such as, for example, one of the embodiments previously described. Likewise, a hardware embodiment may comprise an imaging system including an imager and a computing platform, such as one adapted to perform or execute coding in accordance with the invention, for example.

While certain features of the invention have been illustrated and detailed herein, many modifications, substitutions, changes and equivalents will now occur to those skilled in the art. It is, therefore, to be understood that the appended claims are intended to cover all such modifications and changes as fall within the true spirit of the invention.

Claims:

1. A method of video coding the movement of a face from a sequence of images

comprising:

selecting a limited number of feature points from an image of the face whose movement

is to be video coded;

estimating spatio-temporal rates of change in intensity at the selected feature points

using at least two images from the sequence;

estimating the translation and rotation of the face using the feature points and using the

estimated spatio-temporal rates; and

coding the estimated translation and rotation.

2. The method of claim 1, wherein prior to selecting the feature points, for a particular

image, the face is approximated using triangular planar patches.

3. The method of claim 2, wherein a feature point is selected from each planar triangular

patch.



4. The method of claim 1, wherein the translation and rotation of the face are estimated from the feature points and from the estimated spatio-temporal rates using a least mean square estimation method.

5. A method of video coding the movement of a head from a sequence of images comprising:

coding the head from at least one of the images based, at least in part, on a limited number of selected feature points employing a three-dimensional based coding technique to produce a three-dimensional (3D) model; and

estimating the movement of the head in other images of the sequence using the 3D model of the head.

6. The method of claim 5, wherein the movement of the head is estimated by treating the 3D model of the head as a rigid body in the sequence of images.

7. The method of claim 6, wherein the movement of the head is estimated as translations and rotations based at least in part on estimates of spatio-temporal rates of change in intensity at the selected feature points.

8. A system comprising:

an imager; and a computing platform;

said imager and computing platform being coupled to communicate electronically;

wherein said computing platform being adapted so that, in operation, the movement of a face from a sequence of images is coded by:

selecting a limited number of feature points from an image of the face whose movement is to be video coded;

estimating spatio-temporal rates of change in intensity at the selected feature points using at least two images from the sequence;

estimating the translation and rotation of the face using the feature points and using the estimated spatio-temporal rates; and

coding the estimated translation and rotation.

9. The system of claim 8, wherein said computing platform is adapted so that, in operation, the movement of a face from a sequence of images is further coded by, prior to selecting the feature points, for a particular image, approximating the face using triangular planar patches.

10. The system of claim 9, wherein said computing platform is adapted so that, in operation, the movement of a face from a sequence of images is further coded by selecting a feature point from each planar triangular patch.

11. The system of claim 8, wherein said computing platform is adapted so that, in operation, the movement of a face from a sequence of images is further coded by estimating the translation and rotation of the face from the feature points and from the estimated spatio-temporal rates using a least mean square estimation method.

12. A system comprising:

an imager; and a computing platform;

said imager and computing platform being coupled to communicate electronically;

wherein said computing platform being adapted so that, in operation, the movement of a head from a sequence of images is represented by:

coding the head from at least one of the images based, at least in part, on a limited number of selected feature points employing a three-dimensional based coding technique to produce a three-dimensional (3D) model; and

estimating the movement of the head in other images of the sequence using the 3D model of the head.

13. The system of claim 12, wherein said computing platform is adapted so that, in operation, the movement of the head in other images of the sequence is estimated by treating the 3D model of the head as a rigid body in the sequence of images.

14. The system of claim 13, wherein said computing platform is adapted so that, in operation, the movement of the head is estimated as translations and rotations based at least in part on estimates of spatio-temporal rates of change in intensity at the selected feature points.

15. An article comprising: a storage medium, said storage medium having stored thereon instructions, said instructions, when executed by a computing platform, resulting in the movement of a face from a sequence of images being coded by:

selecting a limited number of feature points from an image of the face whose movement is to be video coded;

estimating spatio-temporal rates of change in intensity at the selected feature points using at least two images from the sequence;

estimating the translation and rotation of the face using the feature points and using the estimated spatio-temporal rates; and

coding the estimated translation and rotation.

16. The article of claim 15, wherein said instructions, when executed, further result in, prior to selecting the feature points, for a particular image, approximating the face using triangular planar patches.

17. The article of claim 16, wherein said instructions, when executed, further result in selecting a feature point from each planar triangular patch.

18. The article of claim 15, wherein said instructions, when executed, further result in, estimating the translation and rotation of the face from the feature points and from the estimated spatio-temporal rates using a least mean square estimation method.

19. An article comprising: a storage medium, said storage medium having stored thereon instructions, said instructions, when executed by a computing platform, result in the movement of a head from a sequence of images being represented by:

coding the head from at least one of the images based, at least in part, on a limited number of selected feature points employing a three-dimensional based coding technique to produce a three-dimensional (3D) model; and

estimating the movement of the head in other images of the sequence using the 3D model of the head.

20. The article of claim 19, wherein said instructions, when executed, further result in the movement of the head in other images of the sequence being estimated by treating the 3D model of the head as a rigid body in the sequence of images.

21. The article of claim 20, wherein said instructions, when executed, result in the movement of the head being estimated as translations and rotations based at least in part on estimates of spatio-temporal rates of change in intensity at the selected feature points.

## Abstract

Briefly, in accordance with one embodiment, a technique for coding the movement of a head or face from a sequence of images is disclosed. A variety of potential alternative embodiments are discussed.

1. A method for coding the movement of a head or face from a sequence of images, comprising: receiving a sequence of images of a head or face; detecting a change in the position of the head or face between two consecutive images; and coding the detected change in the position of the head or face.



JUN 30 '00 01:43PM




FIG. 1

P8762


200

FIG. 2

P8762

**DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION  
(FOR INTEL CORPORATION PATENT APPLICATIONS)**

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below, next to my name.

I believe I am the original, first, and sole inventor (if only one name is listed below) or an original, first, and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

**METHOD OF VIDEO CODING THE MOVEMENT OF A HUMAN FACE FROM A  
SEQUENCE OF IMAGES**

the specification of which



is attached hereto.

was filed on \_\_\_\_\_ as \_\_\_\_\_

United States Application Number \_\_\_\_\_

or PCT International Application Number \_\_\_\_\_

and was amended on \_\_\_\_\_ .

(if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claim(s), as amended by any amendment referred to above. I do not know and do not believe that the claimed invention was ever known or used in the United States of America before my invention thereof, or patented or described in any printed publication in any country before my invention thereof or more than one year prior to this application, that the same was not in public use or on sale in the United States of America more than one year prior to this application, and that the invention has not been patented or made the subject of an inventor's certificate issued before the date of this application in any country foreign to the United States of America on an application filed by me or my legal representatives or assigns more than twelve months (for a utility patent application) or six months (for a design patent application) prior to this application.

I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d), of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s):

APPLICATION NUMBER	COUNTRY (OR INDICATE IF PCT)	DATE OF FILING (day, month, year)	PRIORITY CLAIMED UNDER 37 USC 119
			<input type="checkbox"/> No <input type="checkbox"/> Yes
			<input type="checkbox"/> No <input type="checkbox"/> Yes
			<input type="checkbox"/> No <input type="checkbox"/> Yes

I hereby claim the benefit under Title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below:

APPLICATION NUMBER	FILING DATE

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

APPLICATION NUMBER	FILING DATE	STATUS (ISSUED, PENDING, ABANDONED)

I hereby appoint the persons listed on Appendix A hereto (which is incorporated by reference and a part of this document) as my respective patent attorneys and patent agents, with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith.

Send correspondence to:

Howard A. Skaist, Reg. No. 36,008, BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN, LLP

(Name of Attorney or Agent)

12400 Wilshire Boulevard, 7th Floor, Los Angeles, California 90025 and direct telephone calls to:

Howard A. Skaist, (503) 684-6200.

(Name of Attorney or Agent)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

**Full Name of Sole/First Inventor** (given name, family name)

**Tinku Acharya**

Inventor's Signature \_\_\_\_\_

Date \_\_\_\_\_

Residence \_\_\_\_\_  
(City, State)

Citizenship \_\_\_\_\_  
(Country)

P. O. Address \_\_\_\_\_  
\_\_\_\_\_

**Full Name of Second/Joint Inventor** (given name, family name)

**Somnath Sengupta**

Inventor's Signature \_\_\_\_\_

Date \_\_\_\_\_

Residence \_\_\_\_\_  
(City, State)

Citizenship \_\_\_\_\_  
(Country)

P. O. Address \_\_\_\_\_  
\_\_\_\_\_

**Full Name of Third/Joint Inventor** (given name, family name)

**Rama A. Suryanarayana**

Inventor's Signature \_\_\_\_\_

Date \_\_\_\_\_

Residence \_\_\_\_\_  
(City, State)

Citizenship \_\_\_\_\_  
(Country)

P. O. Address \_\_\_\_\_  
\_\_\_\_\_

**Full Name of Fourth/Joint Inventor** (given name, family name)

Inventor's Signature \_\_\_\_\_

Date \_\_\_\_\_

Residence \_\_\_\_\_  
(City, State)

Citizenship \_\_\_\_\_  
(Country)

P. O. Address \_\_\_\_\_  
\_\_\_\_\_

**Full Name of Fifth/Joint Inventor** (given name, family name)

Inventor's Signature \_\_\_\_\_

Date \_\_\_\_\_

Residence \_\_\_\_\_  
(City, State)

Citizenship \_\_\_\_\_  
(Country)

P. O. Address \_\_\_\_\_  
\_\_\_\_\_

**Full Name of Sixth/Joint Inventor** (given name, family name) \_\_\_\_\_

Inventor's Signature \_\_\_\_\_

Date \_\_\_\_\_

Residence \_\_\_\_\_  
(City, State)

Citizenship \_\_\_\_\_  
(Country)

P. O. Address \_\_\_\_\_  
\_\_\_\_\_

**Full Name of Seventh/Joint Inventor** (given name, family name) \_\_\_\_\_

Inventor's Signature \_\_\_\_\_

Date \_\_\_\_\_

Residence \_\_\_\_\_  
(City, State)

Citizenship \_\_\_\_\_  
(Country)

P. O. Address \_\_\_\_\_  
\_\_\_\_\_

**Full Name of Eighth/Joint Inventor** (given name, family name) \_\_\_\_\_

Inventor's Signature \_\_\_\_\_

Date \_\_\_\_\_

Residence \_\_\_\_\_  
(City, State)

Citizenship \_\_\_\_\_  
(Country)

P. O. Address \_\_\_\_\_  
\_\_\_\_\_

**Full Name of Ninth/Joint Inventor** (given name, family name) \_\_\_\_\_

Inventor's Signature \_\_\_\_\_

Date \_\_\_\_\_

Residence \_\_\_\_\_  
(City, State)

Citizenship \_\_\_\_\_  
(Country)

P. O. Address \_\_\_\_\_  
\_\_\_\_\_

**Full Name of Tenth/Joint Inventor** (given name, family name) \_\_\_\_\_

Inventor's Signature \_\_\_\_\_

Date \_\_\_\_\_

Residence \_\_\_\_\_  
(City, State)

Citizenship \_\_\_\_\_  
(Country)

P. O. Address \_\_\_\_\_  
\_\_\_\_\_

**Full Name of Eleventh/Joint Inventor** (given name, family name) \_\_\_\_\_

Inventor's Signature \_\_\_\_\_

Date \_\_\_\_\_

Residence \_\_\_\_\_  
(City, State)

Citizenship \_\_\_\_\_  
(Country)

P. O. Address \_\_\_\_\_  
\_\_\_\_\_

## APPENDIX A

I hereby appoint BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP, a firm including: William E. Alford, Reg. No. 37,764; Farzad E. Amini, Reg. No. 42,261; Amy M. Armstrong, Reg. No. 42,265; Aloysius T. C. AuYeung, Reg. No. 35,432; William Thomas Babbitt, Reg. No. 39,591; Carol F. Barry, Reg. No. 41,600; Jordan Michael Becker, Reg. No. 39,602; Bradley J. Berezna, Reg. No. 33,474; Michael A. Bernadacou, Reg. No. 35,934; Roger W. Blakely, Jr., Reg. No. 25,831; Gregory D. Caldwell, Reg. No. 39,926; Ronald C. Card, Reg. No. 44,587; Thomas M. Coester, Reg. No. 39,637; Donna Jo Coningsby, Reg. No. 41,684; Michael Anthony DeSanctis, Reg. No. 39,957; Daniel M. De Vos, Reg. No. 37,813; Robert Andrew Diehl, Reg. No. 40,992; Matthew C. Fagan, Reg. No. 37,542; Tarek N. Fahmi, Reg. No. 41,402; George L. Fountain, Reg. No. 36,374; Paramita Ghosh, Reg. No. 42,806; James Y. Go, Reg. No. 40,621; James A. Henry, Reg. No. 41,064; Willmore F. Holbrow III, Reg. No. 41,845; Sheryl Sue Holloway, Reg. No. 37,850; George W. Hoover II, Reg. No. 32,992; Eric S. Hyman, Reg. No. 30,139; William W. Kidd, Reg. No. 31,772; Sang Hui Kim, Reg. No. 40,450; Eric T. King, Reg. No. 44,188; Jason K. Klindtworth, Reg. No. P47,211; Erica W. Kuo, Reg. No. 42,775; Michael J. Mallie, Reg. No. 36,591; Paul A. Mendonsa, Reg. No. 42,879; Clive D. Menezes, Reg. No. 45,493; Chun M. Ng, Reg. No. 36,878; Thien T. Nguyen, Reg. No. 43,835; Thinh V. Nguyen, Reg. No. 42,034; Dennis A. Nicholls, Reg. No. 42,036; Lisa A. Norris, Reg. No. 44,976; Daniel E. Ovanezian, Reg. No. 41,236; William F. Ryann, Reg. No. 44,313; James H. Salter, Reg. No. 35,668; William W. Schaal, Reg. No. 39,018; James C. Scheller, Reg. No. 31,195; Jeffrey S. Smith, Reg. No. 39,377; Maria McCormack Sobrino, Reg. No. 31,639; Stanley W. Sokoloff, Reg. No. 25,128; Judith A. Szepesi, Reg. No. 39,393; Vincent P. Tassinari, Reg. No. 42,179; Edwin H. Taylor, Reg. No. 25,129; Joseph A. Twarowski, Reg. No. 42,191; Lester J. Vincent, Reg. No. 31,460; Glenn E. Von Tersch, Reg. No. 41,364; John Patrick Ward, Reg. No. 40,216; Charles T. J. Weigell, Reg. No. 43,398; James M. Wu, Reg. No. 45,241; Steven D. Yates, Reg. No. 42,242; and Norman Zafman, Reg. No. 26,250; my attorneys; and Andrew C. Chen, Reg. No. 43,544; Justin M. Dillon, Reg. No. 42,486; and John F. Travis, Reg. No. 43,203; my patent agents, of BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP, with offices located at 12400 Wilshire Boulevard, 7th Floor, Los Angeles, California 90025, telephone (714) 557-3800, and Alan K. Aldous, Reg. No. 31,905; Robert D. Anderson, Reg. No. 33,826; Joseph R. Bond, Reg. No. 36,458; Richard C. Calderwood, Reg. No. 35,468; Jeffrey S. Draeger, Reg. No. 41,000; Cynthia Thomas Faatz, Reg. No. 39,973; Sean Fitzgerald, Reg. No. 32,027; John N. Greaves, Reg. No. 40,362; Seth Z. Kalson, Reg. No. 40,670; David J. Kaplan, Reg. No. 41,105; Charles A. Mirho, Reg. No. 41,199; Leo V. Novakoski, Reg. No. 37,198; Naomi Obinata, Reg. No. 39,320; Thomas C. Reynolds, Reg. No. 32,488; Kenneth M. Seddon, Reg. No. 43,105; Mark Seeley, Reg. No. 32,299; Steven P. Skabrat, Reg. No. 36,279; Howard A. Skaist, Reg. No. 36,008; Steven C. Stewart, Reg. No. 33,555; Raymond J. Werner, Reg. No. 34,752; Robert G. Winkle, Reg. No. 37,474; and Charles K. Young, Reg. No. 39,435; my patent attorneys, and Thomas Raleigh Lane, Reg. No. 42,781; Calvin E. Wells, Reg. No. P43,256; Peter Lam, Reg. No. 44,855; and Gene I. Su, Reg. No. 45,140; my patent agents, of INTEL CORPORATION; and James R. Thein, Reg. No. 31,710, my patent attorney; with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith.